

IDS Submitted 5/21/08

LAC

PTO/SB/08A (07-05)

Approved for use through 07/31/2006. OMB 0651-0031

U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Substitute for form 1449/PTO		Complete if Known	
INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use as many sheets as necessary)		Application Number	10/091,360
		Filing Date	March 4, 2002
		First Named Inventor	Petros Tsipouras
		Art Unit	1631
		Examiner Name	Lori Clow
		Attorney Docket Number	IK – 110.3 (C)
Sheet	1	of	1

U.S. PATENT DOCUMENTS					
Examiner Initials*	Cite No. ¹	Document Number Number-Kind Code ² (if known)	Publication Date MM-DD-YYYY	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear
		US-7,133,543	06-06-2002		
		US-App. 02/0160443	10-31-2002		
		US-App. 09/421,956	10-20-1999		
		US-App. 09/724,384	11-28-2000		
		US-App. 10/091,360	03-04-2002		
		US-App. 11/833154	08-02-2007		
		US-App. 11/833183	08-02-2007		
		US-App. 11/833203	08-02-2007		
		US-App. 11/833204	08-02-2007		
		US-App. 11/833428	08-03-2007		
		US-App. 11/833517	08-03-2007		
		US-App. 11/833594	08-03-2007		
		US-App. 11/833849	08-03-2007		
		US-App. 11/833849	08-03-2007		
		US-App. 12/013,944	01-14-2008		
		US-App. 60/84,893	05-09-1998		

FOREIGN PATENT DOCUMENTS						
Examiner Initials*	Cite No. ¹	Foreign Patent Document Country Code ³ Number ⁴ Kind Code ⁵ (if known)	Publication Date MM-DD-YYYY	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages Or Relevant Figures Appear	T ⁶
Examiner Signature		/Lori Clow/		Date Considered	05/27/2008	

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. ¹Applicant's unique citation designation number (optional). ²See Kinds Codes of USPTO Patent Documents at www.uspto.gov or MPEP 901.04. ³Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). ⁴For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. ⁵Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST.16 if possible. ⁶Applicant is to place a check mark here if English language Translation is attached.

This collection of information is required by 37 CFR 1.97 and 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORM TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 (1-800-786-9199) and select option 2.

ALL REFERENCES CONSIDERED EXCEPT WHERE LINED THROUGH. /LC/

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Substitute for form 1449/PTO INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use as many sheets as necessary)				<i>Complete if Known</i>	
				Application Number	10/091,360
				Filing Date	March 4, 2002
				First Named Inventor	Petros Tsipouras
				Art Unit	1631
				Examiner Name	Lori Clow
Sheet	1	of	1	Attorney Docket Number	IK – 110.3 (C)

NON PATENT LITERATURE DOCUMENTS			
Examiner Initials*	Cite No. ¹	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.	T ²

		"XL VISION Announces Advanced Imaging Technology For Early Detection of Metastatic Cancer," Press Release dated December 18, 1995, XL VISION, Sebastian, FL, pp. 7 – 11.	
		ADNANE, J. 1991 Oncogene 6:659-661	
		ALITALO, K et al., 1986 Adv. Cancer Res. 47:235-281	
		AneuVysion®Multicolor DNA Probe Kit by Vysis division of Abbott Laboratories	
		http://www.aneuvysion.com/AboutAneuVysion_6.asp pp1-3	
		BAXES, 1994, "Digital Image Processing, Passage," U.S., New York, Wiley, pp. 127-137.	
		DUTRILLAUX, B. et al. 1990 Cancer Genet Cytogenet 49: 203-217	
		GLASBY et al. (Image Analysis for Biological Sciences (1995) John Wiley and Sons, Chichester, England, pages 31-38).	
		International Search Report, International Application No. PCT/US02/31684, International Filing Date, December 23, 2002.	
		International Search Report, International Application No. PCT/US99/10026, International Filing Date, May 7, 1999.	
		KALLIOMIEMI, A. et al 1994 Proc. Natl. Acad. Sci. USA 91:2156-2160	
		KALLIOMIEMI, A. et al. 1992 Science 258:818-821	
		LIZARDI et al., 1998, "Mutation Detection and Single-Molecule Counting Using Isothermal Cooling-Circle Amplification," Nature Genetics, 19(3): pp. 225 - 232.	
		MERGENTHALER et al. 2005 J. Histochem. Cytochem., 53(3): 319-322.	
		MESKER et al., 1994, "Detection of Immunocytochemically Stained Rare Events Using Image Analysis," Cytochemistry 17: pp. 209 - 215.	
		OOSTERWIJK et al., 1998, "Development of a Preparation and Staining Method for Fetal Erythroblasts in Maternal Blood: Simultaneous Immunocytochemical Staining and FISH Analysis," Cytometry 32: pp. 170 – 177.	

/Lori Clow/

05/27/2008

[illegible]

/Lori Clow/

05/27/2008

ALL REFERENCES CONSIDERED EXCEPT WHERE LINED THROUGH. /LC/